



- NOTES:**
1. STREETLIGHT CONDUIT
 2. POWER COMPANY SECONDARY
 3. POWER COMPANY PRIMARY
 4. TELEPHONE CONDUITS
 5. CABLE T.V. CONDUIT
 6. TRAFFIC SIGNAL CONDUIT
 7. OTHER COMMUNICATIONS CONDUIT
 8. POWER MARKING TAPE
 9. TELEPHONE MARKING TAPE
 10. STORM/SANITARY SEWER AND GAS MAY BE LOCATED ON OTHER SIDE OF CENTERLINE AS TERRAIN AND/OR SEPARATIONS DICTATES.
 11. STREETLIGHT FOUNDATIONS SHALL BE LOCATED BEHIND SIDEWALK FOR SIDEWALK WIDTHS LESS THAN 5 FEET PER STANDARD DRAWING NO. 320.
 12. SEPARATION DISTANCE SHALL CONFORM TO UTILITY STANDARDS ADOPTED BY THE GOVERNING AGENCY FOR SEWER AND WATER FACILITIES.
 13. STREET CONSTRUCTION SHALL CONFORM TO THE DESIGNED PLANS.
 14. UTILITY CONSTRUCTION BACKFILL SHALL CONFORM TO SECTION 208.
 15. UTILITY LINES SHALL BE RE-ROUTED IF DROP INLET IS IN CONFLICT.
 16. WATER TRANSMISSION MAIN SEPARATION SHALL BE REFERRED TO WATER PURVEYOR GUIDELINES.

SPECIFICATION REFERENCE		AGENCY APPROVED	B	C	H	L	M	N
		UNIFORM STANDARD DRAWINGS CLARK COUNTY AREA						
		TYPICAL UNDERGROUND UTILITY LOCATIONS IN RESIDENTIAL STREETS WITH 60 FT. OR LESS RIGHT-OF-WAY						
		DATE 08-09-18	DWG. NO.	501				